

PUBLICWORKS

TECHNICAL SPECIFICATIONS

Main Room Sound System 2 Funktion-One BR 221 Subs 2 Funktion-One F315 Lows 2 Funktion-One DS210 Evo Mid/Highs 2 Funktion-One F88 Rear Fills 2 Funktion-One F101 Front Fills 4 Funktion-One F101 Balcony Fills 1 BSS SoundWeb London BLU-160 Signal Processor 3 BSS Soundweb London BLU-BOB Break-Out Boxes 2 Powersoft K10 Amps 3 FFA 4004 Amps 1 FFA HD 8004 Amp 1 FFA 6004 Amp	Loft Sound System 2 Funktion-One Res 2 1 Funktion-One BR221 Sub 2 PK Sound Klarity 8 Rear Fills 1 XTA 548 Processor 1 Powersoft K6 Amp 1 MC2 E475 Amp 2 MC2 T1000 Amps
Main Room Monitor System 2 Funktion-One PSM12 Wedge Monitors 4 Funktion-One BR118 Subwoofers 4 QSC K12 Monitors	Loft Monitor System 2 QSC KW12 2 QSC KSub Dual 12 Subs

Main Room Video Specifications

3 Epson 7240 WXGA 3.2k Lumen Projectors (1280x800 Native Resolution) [Covering Sides & Rear Wall of Venue]
1 InFocus IN5535 7k Lumen Projector (12800x800 Native Resolution, Support Up To 1080i) [Rear Wall Coverage]
1 Custom Built PC Video Server Running Windows 10, Resolume Arena 7

Loft Video Specifications

2 NEC NP-M300XS 3K Lumen Projectors 1024x768 Native Resolution, Support Up To 1080p
1 Extron 4x4 HDMI Matrix

Main Room Lighting 4 Chauvet Intimidator Beam 355 IRC 2 Chauvet Rogue R1 FX-B 2 Marc Gesture Beam 400 4 Clay Paky Beam R2 Sharpy 4 ADJ Megahex RGBWA+UV LED Par 4 Wecan WKP-1816 LED Par 1 ADJ Mega Flash Strobe 1 Martin Magnum 2500 Hazer 1 PC Computer/Chamsys Magic-Q Software DMX Control Various Track Lighting	Loft Lighting 4 Chauvet Slim Par 64 RGBA Various Track Lighting
--	--

PUBLICWORKS

TECHNICAL SPECIFICATIONS

DJ Equipment

4 Technic 1200 MK5 Turntable
4 Pioneer CDJ 3000
4 Pioneer CDJ 2000 NXS2
4 Pioneer CDJ 2000 NXS1
1 Pioneer V10
2 Pioneer DJM 900 NXS2
1 Pioneer DJM 900 NXS1
2 Allen & Heath Xone 92
1 Pioneer RMX-1000
1 AKAI Professional APC40
1 Serato SL4 Interface

Live Sound Equipment

1 Midas M32 Console
6 Shure SM 58
5 Shure SM 57
1 Audix ADX90
1 Audix ADX51
1 Audix i5
1 Audix D6
2 Audio Technica Snare/Tom
2 Audio Technica Kick/Tom
5 Livewire Passive D.I.
4 Behringer Passive D.I.
1 32 Channel Stage Box
1 16 Channel Sub Snake
1 12 Channel Sub Snake
10 Tall Mic Stands
6 Short Mic Stands
2 Keyboard Stands

Main Stage Dimensions

Booth Width: 8 ft + 2 ft extension = 10 ft
Booth Depth: 3 ft
Booth Height: 3 ft

Stage Height: 2 ft 4 in
Stage Front Width: 15ft
Stage Back Width: 22 ft
Stage Depth Without Extensions: 10.5 ft
Stage Depth With Extensions: 13 ft


Loft Stage Dimensions

Booth Width: 7 ft 2 in
Booth Depth: 2.5 ft
Booth Height: 3 ft

Stage Height: 1 ft
Stage Width: 14.5 ft
Stage Depth: 11 ft

PUBLICWORKS

TECHNICAL SPECIFICATIONS



Main Room Stage Layout

PUBLICWORKS

TECHNICAL SPECIFICATIONS



Funktion-One F315 Lows
Funktion-One DS210 Evo Mid/Highs

PUBLICWORKS

TECHNICAL SPECIFICATIONS



Funktion-One F315 Lows
Funktion-One DS210 Evo Mid/Highs

PUBLICWORKS

TECHNICAL SPECIFICATIONS



2 Funktion-One BR 221 Subs
2 Funktion-One F315 Lows
2 Funktion-One DS210 Evo Mid/Highs

PUBLICWORKS

TECHNICAL SPECIFICATIONS



Funktion-One F315 Lows
Funktion-One DS210 Evo Mid/Highs

PUBLICWORKS

TECHNICAL SPECIFICATIONS



Funktion-One F315 Lows
Funktion-One DS210 Evo Mid/Highs

PUBLICWORKS

TECHNICAL SPECIFICATIONS



Funktion-One F315 Lows
Funktion-One DS210 Evo Mid/Highs

PUBLICWORKS

TECHNICAL SPECIFICATIONS



2

Funktion-One BR 221 Subs
2 Funktion-One F315 Lows
2 Funktion-One DS210 Evo Mid/Highs